4-688

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

MINERAL	SURV	EY	NO.	կկկ6

	Arizona Land District.	
FIE	LD NOTES	
Of The Survey	Of The Mining Claim Of	
Су	yrus F. Weeks	-
K	Inown As The	
Whi	ite Spar Lode	
	Wallapai Mining District	
Mohave	County, Arizona	
amended	p 22 N. Range 17 W., G&SR B&M  January 6 , 19 59	-
	by Harvey W. Smith  Mineral Surveyor.	
Claim located	September 29 , 19 56	
Survey commenced	January 7 , 19 59 .	
Survey completed	January 8 , 19 59	
	ttorneys: Shimmel, Hill, Cavanagh & Klein Title & Trust Bldg. Phoenix, Arizona AMENDED LOCATIONS	di
Ар	ril 22, 1957	

1987000 0.30

Day on March 11

The second secon

Chains Feet

> This survey was made with a C. L. Berger & Sons transit, No. 15045, with horizontal limb.  $6\frac{1}{4}$  ins. diam., having two double opposite verniers, and full vertical circle 5 ins. diam., having one double vernier; the verniers read to one minute of arc. The instrument was in good condition at the time of the survey and all adjustments were in good order.

> All azimuths in the record were determined by the method of deflection angles referred to the meridian determined by a direct observation on the sun for azimuth from the \(\frac{1}{4}\) cor. between secs. 22 and 23, to the cor. for secs. 22, 23, 26 and 27, all of T. 22 N., R. 17 W., G.&S.R. B&M. True bearing S. 0° 05' W.

The lines were measured with a Lufkin steel tape, 300 ft. in length, graduated every foot for 299 ft. and the remaining foot graduated to tenths and hundredths.

All lines and connections of this survey were run. by direct methods.

The geographic position at cor. No. 1 of this survey is latitude 35° 16' 50" N. and longitude 114° 04' 30" W.

The magnetic declination observed at each corner of the survey gave a uniform value of 14° 45' E.

Survey No. 4446

#### WHITE SPAR LODE

At Cor. No. 1 of the White Spar Lode.

This corner falls in the center of an unimproved road, bearing N. 75° E., which is soon to be widened. From Cor. No. 1

The  $\frac{1}{4}$  cor. between secs. 22 and 23, T. 22 N., R. 17 W., G.&S.R. B&M, bears N. 12° 40' 30" W., 104.75 ft. dist., an iron post, 1 in. diam., 12 ins. above ground, marked and witnessed as described in the official record.

A witness cor. bears N. 59° 58' 30" W., 99.50 ft. dist.

Set a galvanized iron post 24 ins. long; 3/4 ins. diam. in a 15 pound concrete and rock base, 16 ins. in the ground, with a brass cap, 2 ins. diam. fastened firmly mkd. MS 4446 W S 1 W C X; from which

A granite rock,  $4 \times 5 \times 5$  ft. bears N. 40° 30' W., 14.69 ft. dist., mkd. WC WS1 4446 B O X.

of states, bearing to the

#### Thence S. 31° ·33' W.

44.31 Intersect line between secs. 22 and 23, T. 22 N., R. 17 W., from which the  $\frac{1}{4}$  cor. between secs. 22 and 23, previously described, bears N. 0° 05' É., 139.94 ft. dist.

1493.62 Cor. No. 2

Set a galvanized iron post, 24 ins. long, 3/4" diam., in a 15 pound concrete and rock base, 16 ins. in the ground, with a brass cap; 2 ins. diam., firmly fastened, mkd. MS 4446 W S 2 X.

A mound of stone constructed adjacent to the iron post.

3

	survey no. 4446								
	Chaine Feet	Thence N. 59° 58' 30" W.							
2	300.0	Lode line; discovery monument bears N. 31° 33' E., 693.62 ft. dist.							
	596.50	Cor: No. 3. Joseph and to order and the contract to the contra							
1-00	Lleb în t	Set a galvanized iron post, 24 ins. long, 3/4 ins. diam., 16 ins. the ground, in a 15 pound concrete and rock base, with a brass cap 2 ins. diam., firmly fastened, mkd. MS 4446 W S 3 X.							
	FS Pass SS	. A mound of stone constructed adjacent to the iron post.							
		Thence N. 31° 26' E							
	1493.49	Cor. No. 4 Peads nilits a state to season of a lift of the season of the contract of the season of t							
ebo	fact math	Set a galvanized iron post, 24 ins. long, 3/4 ins. diam., in a 15 pound concrete and rock base, 16 ins. in the ground, with a brass cap, 2 ins. diam., firmly fastened, mkd. MS 4446 W S 4 X.							
18		A mound of stone constructed adjacent to the iron post.							
977	C Apparate	Thence S. 59° 58! 30" E.							
	299.50	Lode line; discovery monument bears S. 31° 33' W., 800 ft. dist.							
	500.0	Witness cor. for cor. No. 1, previously described.							
	572.81	Intersect line between secs. 22 and 23, T. 22 N., R. 17 W., from which the $\frac{1}{4}$ cor. between secs. 22 and 23, previously described, bears N. 0° 05' E., 88.83 ft. dist.							
	599.50	Cor. No. 1 and place of beginning. The delimination of the second of the							
		SURVEY 4446							
a	besayno	AREAS  Acres  Total area, White Spar Lode  Area in conflict with  Sec. 23, T. 22 N., R. 17 W., 0.014							
: 3	a dela del	out and the local passes incarring in the passes of the passes in the pa							
		This survey is located in the $\mathbb{E}^1_2$ , Sec. 22 and $SW_{\frac{1}{4}}$ , Sec. 23, T. 22 N., R. 17 W., G&SR B&M.							
		The survey of the White Spar Lode is wholly within the location as marked on the ground. The present established corners are identical with the corners of the location.							
d'e	www.more's A. Millorane	EXPENDITURES							
		The improvements and value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:							
	No. 1	The discovery shaft is on the lode line 800 ft. from a pt. on line 4-1, 299.5 ft. from Cor. No. 4; an untimbered shaft 5x6 ft., 8 ft. deep. Value \$225.							
	No. 2	An open cut, the North end of which bears S. 59° W., 630 ft. dist. from Cor. No. 1; 240 ft. long 15 ft. wide at N. and S. ends and 55 ft. wide in center, bearing S. 32° W. The east face of the cut is 50 ft. high.  Min. Value \$5000.							

SURVEY NO. 4446 3. Chains SUPPLEMENTAL DATA Feet The cor. for Secs. 22, 23, 26 and 27, T. 22 N., R. 17 W., G&SR B&M., is an iron post, 2 ins. diam., 12 ins. above ground, firmly set, marked and witnessed as described in the official record. FIELD ASSISTANTS Name Capacity Russell Hart Transit Man Richard Cleveland Chainman

SHELL ON ASTACHES

Chains		SUPPLIENTAL DATA		Sintes Peet
			TO OU SHOP TO TOO DO	
rection.	ing a parce	- Novote act 81 mm	"La ber. for decs. 72, 23 in an ir on beet. 2 ins. di marked and of the sped as de	
	broser fel	coribed in the office	national and but been as de	
		THE ASSISTANT		
recity	0		Notes of the second	
			Sort Menand	
man Jian mann	resto i en en il		Richard Cleveland	

76423

# UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

5

### CERTIFICATE OF SURVEYOR

January 12, 1959 Harvey W. Smith Mineral Surveyor, hereby certify upon honor that in pursuance of an order received from the Bureau of Land Management-U. S. Dept. of Interior at Phoenix, Arizona dated January 6, 1959 , I have faithfully and correctly executed the survey of the mining claim of Cyrus F. Weeks known as the White Spar Lode (Lode, placer, or mill site) situate in Wallapai Mining District Mojave County T. 22 N , R. 17 W., , GSRM Meridian, Arizona designated as Survey No. 4446 , which is represented in the foregoing field notes as having been executed by me and under my direction, and that said survey has been made in strict conformity with said order, the Manual of Instructions for the Survey of the Public Lands of the United States, and in the specific manner described in the foregoing field notes, and I do further certify that the labor expended and improvements made upon or for the benefit of the White Spar Lode location(s) embraced in the said mining claim by claimant(s) or his grantors are fully stated in my report therein, and that the character, extent, location, and itemized value thereof are specified therein with particularity and full detail, and that no portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim. Phoenix, Arizona CERTIFICATE OF APPROVAL Bureau of Land Management -- Survey Office May 8 Phoenix, Arizona (Place) (Date) The foregoing field notes of mineral survey No. 4446 in Wallapai Mining District, Mohave County, Secs. 22 & 23, T. 22 N. R. 17 W. Gila and Salt River (State), executed by Harvey W. Smith ....., Mineral Surveyor, under order dated January 6, 1959 having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved. Losla S. Marin Office Cadastral Engineer CERTIFICATE OF TRANSCRIPT I CERTIFY that the foregoing transcript of field notes of the above described mineral survey No. is a true copy of the original field notes.

(Title)

ACINITAL SET SO TRANSPORTED

#### DESCRIPTION OF SURFISHING

The definition of the desired and the second of the second

de la company de la company

The control of the co

The transfer of the first production of the capital split of the production of the contract of the capital split o

## PERTROPE OF ARTIOVAL

שורים על שמות המתאים פיל .... כר

Thomas, bereat

The contact mean market was a city or was the first transfer and the contact transfer and the contact transfer and the city of the city of

Sand the foreign carries and the contract of t

And the second of the second o

AND PERSONAL

contra factoria action

PRESIDENTE OF TRANSCRIP

# UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 4446 ARIZONA STATE OFFICE

#### NOTICE OF CANCELLATION OF MINERAL SURVEY

The WHITE SPAR lode, Mineral Survey No. 4446, located in sections 22 and 23, Township 22 North, Range 17 West, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"WHITE SPAR lode, M.S. 4446 was canceled June 27, 2012, by memo 9605 (956) M.S. 4446, which is now a part of the original field notes."

June 27, 2012

Date

Chief Cadastral Surveyor of Arizona

Stesler H. Hamm

